Structure of matter I

"Could anything at first sight seem more impractical than a body which is so small that its mass is an insignificant fraction of the mass of an atom of hydrogen?"

J.J. Thomson, about the electron.

Language box

matter (uncountable noun)
atom /-s
atomic model /-s
theory, theories
proton /-s
neutron /-s
electron /-s
nucleus, nuclei (pl.)
isotope /-s
the periodic table: groups and periods
metal /-s

nonmetal /-s

1. WHAT IS MATTER?

Define matter and some of its properties.

Look up the following definitions:
Atom:
Electron:
Proton:
Neutron:

2. THE ATOM

An atom is the smallest building block of matter. In Ancient Greece the word **atom** was used to define the smallest indivisible particle that could be conceived (a- without, tomos- division). The atom was thought of as indestructible. However, we know today that the atom can be broken down into sub-atomic particles.

Knowledge about the size and make up of the atom grew very slowly as scientific theory progressed. Three scientists who have greatly contributed to the knowledge on the atomic structure are, among others, **John Dalton**, **J.J. Thomson**, and **Ernest Rutherford**.

Today we know that atoms are made up of three fundamental sub-atomic particles: protons, neutrons, and electrons.

DALTON'S ATOMIC THEORY

In 1803 the British physicist-chemist John Dalton (1766-1844) presented a theory on the constitution of matter known as the **atomic theory**. J. Dalton developed its atomic theory based not only on his own experiences, but also on the experiences carried out by earlier scientists such as Boyle (1627-1691) and Proust (1754-1826).

Dalton's theory besides explaining the laws of chemical reactions, it allows us to understand why there are two main types of chemical substances: compounds and elements. **Compounds** can be broken down into simpler substances, and **elements** can not be broken down.

In this theory, he proposed the following:

- All matter is made up of indivisible particles called atoms.
- All atoms of any given element are identical.
- The atoms of a given element are different from those of any other element.
- Atoms of one element can combine with atoms of other elements to form compounds.
 A given compound always has the same types of atoms and in the same proportion.
- Atoms cannot be created, divided into smaller particles, nor destroyed in the chemical process. A chemical reaction simply changes the way atoms are grouped together.

Dalton was right in many respects. However, as you will see, his idea about atoms being indivisible would prove wrong with time.

SUB-ATOMIC PARTICLES

The **electron** (e-) was discovered in 1897 by the physicist J.J. Thomson when studying cathodic rays. He also calculated the mass of the electron and found that it was very small compared to the total mass of the atom. Therefore, a revision of Dalton's indivisible atom was necessary.

If the atom was not indivisible; how did it really look like?

More experiments were carried out and, in 1911, Rutherford discovered the positive particle that makes the atom. It was called a proton. Its mass was about 2 000 times greater than that of the electron, and its charge was exactly the same as the electron's but with a positive sign.

So far, we can conclude that all matter is made of atoms, and atoms are made of electrons and protons. Additionally, atoms must have the same amount of protons and electrons, since they are neutral.


The neutron still had to be discovered but this was not until 1932, by Chadwick, pupil of Rutherford. Its mass is similar to that of the proton, and it is not charged.

Once the different sub-atomic particles had been discovered, the big question was how were they arranged inside the atom?

ATOMIC MODELS

THOMSON'S 'PLUM-PUDDING' MODEL OF THE ATOM

J.J. Thomson (1856 – 1940) was one of the next most recognized people involved in the progression of atomic theory. As a result of his experiments with cathode rays Thomson discovered the nature of the electron and theorized that, although the atom was made of small particles, it was not the same indestructible model proposed by Dalton. Thomson stated that protons and electrons were evenly distributed throughout the atom. Thomson described the atom as a mass of positively charged particles (protons) with electrons embedded in it, like raisins in a 'plum pudding'.




Schematic representation of Thomson's "plum pudding" atomic model.

RUTHERFORD'S EXPERIMENT AND ATOMIC MODEL

Ernest Rutherford (1871-1937), a major contributor to the atomic model, run the following experiment.

He took a sheet of gold foil (gold foil is extremely thin, you need to handle it with tweezers, and if you use your fingers it would get stuck to them) and bombarded it with positive particles (known as alpha particles). Behind the sheet he placed a camera so he could follow and study the pathway of particles as they passed through or bounced off.



Rutherford found that:

- a) The majority of the alpha particles passed through the gold foil un-deflected (without deviation).
- b) A small portion of the particles were strongly deflected from their path as they passed through the gold foil.
- c) One out of 10 000 particles bounced off the gold foil.

From his results Rutherford drew the following conclusions:

- The majority of the atom is empty space
- The atom's positive charge is found in a small and dense nucleus.
- The electrons orbit around the nucleus.

With his experience he proved that although Dalton and Thomson were partially correct there was still a flaw in both of their models of the atom. Rutherford also proved that the atom consisted mostly of empty space. At the center of this space is a very small core, called the nucleus. Rutherford established that the mass of the atom is concentrated in its nucleus. He found that an electron is 1/1836 the mass of a proton and he also proposed that electrons travel orbiting around the nucleus.

Atoms are made of protons, neutrons and electrons

- The protons are particles which carry a positive electrical charge. The mass of a proton is very similar to the mass of a hydrogen atom.
- The neutrons have a mass which is similar to the mass of a proton. However, neutrons are <u>not</u> electrically charged.
- The electrons carry a negative electrical charge and their mass is around 1836 times smaller than the mass of a proton.

As you have seen above, there have been several theories to explain the distribution of the subatomic particles in the atom. Nowadays, the most accepted theory suggests that the atom is formed by two parts; the **nucleus** and the **electron cloud** around it, but this will be studied in upper courses.

The nucleus of an atom is extremely small in comparison to the atom. If an atom was the size of a football stadium, then its nucleus would be the size of a pea.

ATOMIC NUMBER, Z


The number of protons varies from one element to another, but all atoms of the same element always have the same number of protons.

The fixed number of protons, which is characteristic for each element, is called the atomic number, and is represented with the letter \mathbf{Z} .


Example: Each atom of helium has two protons, the lithium atoms have three protons each, and every carbon atom presents six protons. In their natural state, atoms do not carry any electrical charge; they are **neutral**. This means that they have the same

number of positively charged protons and negatively charged electrons. The helium atom, in its natural state, therefore has two electrons, the lithium atom three and the carbon atom six. Therefore, in a neutral atom the atomic number also indicates the number of electrons.

Z = atomic number = number of protons = number of electrons



Three different representations of the atoms dealt with in the example on the previous page.



A simplified atom model of a nitrogen atom (with 7 protons, 7 electrons and 7 neutrons). Please remember that the enormous dimensions of an atom's electronic shells are impossible to represent on a sheet of paper. In the drawing above, you see nice circles showing where the electrons go around the atom. In reality, scientists cannot tell exactly where an electron is at a given moment or where it is going. That is why we talk about an "electron cloud" or probability region.

ISOTOPES

The number of protons and electrons is always the same in all neutral atoms of a chemical element, but the number of neutrons can vary. Atoms which present this circumstance are called **isotopes**.

Example: The most abundant isotope of hydrogen (Z = 1) is protium (a single proton, no neutrons) followed by deuterium (a proton and a neutron) and the least abundant tritium (a proton and two neutrons). Another example is oxygen, with atomic number of 8 can have 8, 9, or 10 neutrons.

MASS NUMBER, A

The protons and neutrons are situated in the nucleus of the atom. The **mass number** of an atom is the number of particles the atom contains. It is therefore, the <u>sum of the number of protons and the number of neutrons</u>. It is represented with the letter **A**.

A = mass number = number of protons + number of neutrons

If we call the number of neutrons n, we conclude that

$$A = Z + n$$

Consequently, we can know the number of all the fundamental particles which form an atom if we know Z (the atomic number) and A (the mass number).

Example: symbol = C name = carbonatomic $n^{\circ}(Z) = 6$ atomic mass number (A) = 12 (\rightarrow atomic mass = 12 u)

Relative atomic masses

The majority of the elements have isotopic forms (isotopes), and therefore, the atomic mass number is estimated as an average of the atomic mass numbers of the isotopes found in nature, weighted by isotopic abundance. In the Periodic Table, you will find that the atomic mass number of carbon is 12.01 and the one of hydrogen is 1.008.

THE PERIODIC TABLE

An element is a substance formed by a single type of atoms. Actually, 109 different chemical elements are known. Very early on, scientists saw the need of arranging them in some type of order. They realized that there were groups of elements which had similar characteristics. Elements that resemble each other are on the same group.

There were a few scientists involved in the evolution of the periodic table. However, it was the periodic table of the Russian scientist Mendeleev that served as a prototype

(precursor) of today's periodic table. He ordered the chemical elements by their atomic mass and into groups with similar behaviour, arranging them in rows and columns. All the elements in a given column had similar properties. When Mendeleiev arranged the elements into his periodic table, he left 'spaces in the table' where none of the known elements fit the pattern. He left the gap and predicted the properties of the still undiscovered element that had to go in that particular place. As new elements were discovered they would fill up those gaps showing the predictions were extremely accurate. This made of Mendeleev's version of the periodic table a very powerful description of matter.

The periodic table is a chart which categorizes elements by 18 "groups" (the vertical columns) and 7 "periods" (the horizontal rows). In an atom with a neutral charge, the number of electrons equals the number of protons; the periodic table represents neutral atoms. The atomic number is typically located above the element symbol. The **atomic mass number** is typically found beneath the element symbol. Below is a diagram of a typical cell on the periodic table.

Going from left to right on the periodic table, you will find metals, then metalloids, and finally nonmetals. The 4th, 5th, and 6th periods are called the transition metals. The transition metals include two periods known as the lanthanides and the actinides which are located at the very bottom of the periodic table.

Some of the groups have special names:

- Group 1a is also called the alkali metals.
- Group 2a is also called the alkaline earth metals.
- Group 3a is the earth metals.
- Group 7a is the halogens.
- Group 0 is the noble gases.
- ▶ Review the name and the symbol of the 35 elements of the periodic table you have to know this year and try to remember their position. Draw them in your notebook.
- ► How are the elements ordered in the Periodic Table?

ABLE OF	THE	PERIODIC TABLE OF THE ELEMENTS	s														
28 - 12	- symbol - symbol	per per							Alkall	Actinide series (rare earth metals)	e z f s	Transition	Nonmetals	sle			
Group 1a	(or mass number of most stable isotope if in parentheses)	nucleo de							Alkaline earth metals	Other		series (rare earth metals)	Noble gases	323			Group
1 Hydrogen	Group 2a											Group 3a	Group 4a	Group 5a	Group 6a	Group 7a	Helsum
Lithsum E	Beryllium											Saron 10.811	Carbon 12.011	Nitrogen	Oxygen 15,9994	P Fluorine 18,9984	Neon Neon 20.183
Na Sodium M	Magnesium 24.305	Group 3b	Group 4b	Group 5b	Group 6b	Group 7b	Group 8	Group 8	Group 8	Group 1b	Group 2b	Aluminum 26.9815	Silcon 28.086	Thosphorus 30.9738	25 Party 32 000	Chlorine 35.63	Argon Argon
Potassium 39.098	Calcium 40.08	Scandium 44.956	Thankum 47.87	Vanadium 90.942	Chromium S1.996	Manganese 549380	Fe Iron SS 845	Cobatt S8 9332	Nickel S8.69	Copper 63.546	Zn	Gallhum 69.72	Germanium	Arsenic 749216	Selenium	Bromine 79,904	³⁶ ₹ ³⁹ 83.89
Rb Rubidium s	Sr Strontium 87.62	711 Nation 188 906	Zr Zirconium 91.22		Mo Molybdenum 95.94	Technetium	Ruthentum 101.07	Rhodium 102.905	Pdd Pattadium	Agg Silver to 7.868	Cadmium 112.41	Indium	Sn In In 1871	Sb Antimony 121.76	Tellunum	53 	Xenan Xenan 131.29
Costum Cestum 132.905	Bandum 137.33	57-71* Lantharides	Haffelum 178.49	Ta Tantalum 180.948	Number 183.84	Rhernium 196.2	Osmeum 190.2	77 Infelium. 1922	Pt Ptatinum 195.08	Au Gold 198.967	Hg Mercilly 200.59	11 Thaillium 204.38	Pb Lead	Bismuth 208.98	Po Potomium (210)	Astatine	Radon (222)
Franclum (223)	Radum (226)	89-103** Actinides	Rf Ruthertondum (281)	Dubnium (282)	SG Seaborrgium (266)	Behrium (286)	Hassium (286)	Methoerium (2889)	1101	1111	11.27 (277)	† Until official of the atomic element 112	Until official names are given to new elements, names based on a Latin translation of the atomic number are used; e.g. unumbruw (Latin inner 11 + anus 11 + bi- 21 for element 112.	ven to new elen sed, e.g. unumb	nents, names ba	sed on a Latin t	ranslation + bi- 2) for

*LANTHANIDES	Lanthanum.	Cerlum 140.12	Pr Praseodymium 140,908	Neodymium 144.24	Pm Promethium (145)	Samarium 150.36	Europium 151.96	Gd Gadolinium	Terbium 158.925	Dy Dysprošlum 162.50	Holmium 164.930	Erbium 167.26	Tm Thullum 168.934	Yaterblum 173.04	Lucetium 174.97
**ACTINIDES	Actinium (227)	Th Thorium 232.038	Pa Protactinium 231,036	Uranium 238.03	Nepturium	Pu Putonium (244)	Americium (243)	Curium	BK Berkellum (247)	Californium (251)	ES Einsteinium (252)	Fermium (SS)	Mendelevium Mendelevium (258)	Nobelium (259)	Lawrencium (262)

SIMPLE SUBSTANCES AND COMPOUNDS

Simple substances


The atoms of the metals cluster together forming networks of numerous atoms. They are represented by the symbol of the element. Thus, Cu indicates the name of the '09element copper and it also represents the chemical formula the substance: copper metal.

However, simple substances of non-metals have a tendency to unite through a simple and fixed bond, forming groups called **molecules**. The most frequent are the **diatomic molecules**, formed by two atoms. Oxygen, (O_2) , nitrogen (N_2) and chlorine (Cl_2) form diatomic molecules. There are also **monoatomic** molecules, formed by one single atom (Example: the noble gases, He, Kr, Xe, Rn) as well as **triatomic** (ozone, O_3) and **tetra-atomic** molecules (phosphorous, P_4), etc.

Compound substances

Compound substances are formed by two or more different types of atoms, which unite forming molecules or big networks. Example: One atom of nitrogen unites with three atoms of hydrogen, forming a molecule of a new substance, ammonia (NH₃).

Compounds formed in the union of two different elements are called **binary compounds**, if three elements unite, the compound is a **ternary compound**, **quaternary** if the constituting elements are four, etc.



Ammonia (NH₃) is a binary compound.

All molecules in a pure substance are identical. They are formed by atoms belonging to one single element if the substance is simple and different atoms if the substance is a compound.

 \triangleright Order the following molecules of pure substances into the following table: water (H₂O), neon (Ne), fluor (F₂), nitric acid (HNO₃).

Molecules			
Simple substance	es	Compound su	ıbstances
Monoatomic	Diatomic	Binary	Ternary


CHEMICAL SYMBOLS AND FORMULAS

Molecules are represented with chemical formulas.

The chemical formula of a substance indicates the elements it contains and the proportions of the constituting elements.

Since long ago scientists have been used to representing the names of the atoms of different elements in abbreviated form through **symbols**. We represent the elements with one capital letter. If we use two letters, then the 2^{nd} letter is always written in lower case. E.g.: Lithium (Li), Potassium (K).

Chemical formulas represent in an abbreviated way the composition of molecules.



- ▶ Indicate the constituting atoms and their quantity in the molecules of the following substances:
- a) sulphuric acid
- b) sodium hydroxide
- c) methane
- d) copper sulphate

MOLECULAR MASS (GRAM FORMULA MASS)

As molecules are formed by atoms, the mass of a molecule is equal to the sum of the masses of the constituting atoms. For example, the molecular mass of oxygen gas (O_2) is calculated with the atomic mass of oxygen, 16 u:

2 atoms of oxygen (O) =
$$2 \times 16 = 32$$
 u

The molecular masses of substances are expressed in atomic mass units (amu or u). However, these units are extremely small:

These quantities are impossible to measure in a laboratory. In order to work in the laboratories, we need to use bigger units like the gram, which is measurable on a balance. How have scientists solved the problem with the tiny molecular masses? Answer: With the unit **mole.**

MOLE AS A UNIT OF QUANTITY OF MATTER

We have already seen that it is impossible to work in the lab with just a few molecules, because their mass is not visible. Therefore, it is necessary to use a much bigger number of molecules. Experimentally it has been proven that a mass of whatever substance equal to the molecular mass in u but expressed in grams contains a constant number of molecules. This number is as large as 6.023×10^{23} and it is called **Avogadro's number** (N_A).

Mole is a unit of quantity of matter and it is defined as the quantity of matter which contains 6.023×10^{23} particles (atoms, molecules, ions, electrons...).